

AMERICAN PNEUMATIC TOOLS
HANDHELD TOOL STEEL 2014



Support and Service

merican Pneumatic Tools (APT) is the leading provider of exceptional tools for the Construction and Industrial markets. APT has been synonymous with quality since 1938.

In their eighth decade, American Pneumatic Tools has represented performance and innovation in the pneumatic tool industry. APT's ever-expanding product line now offers a complete range of pneumatic and hydraulic tools, light compaction, concrete finishing and portable power.

Superior performance, excellent product reliability, competitive pricing, ergonomic designs, and a warranty second to none are what make American Pneumatic Tools an industry leader.

Worldwide Customer Support

Choosing APT is just the beginning. APT distributors offer reliable service and support. Genuine spare parts for your tools are available worldwide, with short delivery times.

Warranty

APT warrants its products to the original purchaser to be free from defective materials and workmanship. The liability of APT is limited to the replacement of any part(s) which are judged to be defective in materials and/or workmanship by APT, provided APT is notified of the suspect part within the warranty period after receipt of the product by the original purchaser. Does not include wear items. This warranty entitles the original purchaser to have the warranted parts and labor rendered at no cost during this warranty period when the product is delivered prepaid to the APT facility in Santa Fe Springs, California. This warranty does not apply to products which APT judges to have been misused, modified or repaired by parties other than APT personnel. This warranty does not apply to tools that have been improperly maintained by the user or when the malfunction or defect can be attributed to the use of parts that are not genuine APT OEM repair parts.

Terms and Conditions

Terms: Net 30 days, FOB Santa Fe Springs, California. Minimum Order: \$50.00 net. All orders totaling less than \$50.00 will be invoiced at \$50.00 net. Freight: APT reserves the right to select all carriers. Damaged or Short Shipments: Always inspect and count all shipments being received and note on the packing list any damage or shortage before the driver leaves your facility. Any claim resulting from shipment must be filed immediately with the carrier and reported to APT within 30 days of delivery.



Authorization To Return Goods


When returning any APT product to the factory for warranty evaluation or for any other reason, the customer must first obtain a RETURN MATERIAL AUTHORIZATION (RMA) number from our customer services department by calling (800) 532-7402, or by faxing (562) 204-1773, with information on the return. The RMA number must be prominently displayed on the packages that are returned to the APT facility and also shown on the packaging list. We reserve the right to refuse any returns without prior authorization. A minimum 20% handling and restocking charge will be applied to all returns unless the situation dictates otherwise and prior authorization is obtained with the RMA number.

Order Desk Hours

Monday thru Friday 6:00 a.m. to 4:00 p.m. Pacific Time (US & Canada) 8:00 - 16:00 UTC

AMERICAN PNEUMATIC TOOLS

9949 Tabor Place • Santa Fe Springs, CA 90670
Tel (562) 204-1555 • Fax (562) 204-1773
Toll Free Tel (800) 532-7402 • Fax (800) 715-6502
www.apt-tools.com • email: info@apt-tools.com




Note: Length is under collar




	PAVING B	REAKER TOO	LS	
POWER II	N PROGRESS ORKING	1" x 4-1/4"		
TOOL	LS	1 %	4 1/4	
		Part no.	Length	
Moil Point		3083403000 3083403010 3083403020	15" 18" 24"	
		3083403030	36"	
Narrow Chisel		3083330900 3083403110 3083403120 3083403130	15" 18" 24" 36"	
3" Wide Chisel		3083331000 3083403200 3083403210 3083403220	15" 18" 24" 36"	
Asphalt Cutter	4-1/2" x 5" 5" x 6"	3083403400 3083403300	12" 13"	
Digging Chisel	3-1/4" x 9"	3083331100	15"	
Digging Spade / Asphalt Cutter	4-3/4" x 7-1/2"	3083331200	13"	
Clay Spade	5" x 8"	3083403500	16"	
Frost Wedge	1-3/8" x 7" 2" x 12"	3083331300	15"	
Shaft	Small Taper Shank For Tent Stake Cup Driver	3083403700	11"	
	ACCESSORIES			
Cup Driver	2-1/2" Driver Head Only, Large Taper 3" Driver Head Only, Large Taper	9246020159 9245980065		
Tamping Pad	7" Round, Small Taper 6" Square, Small Taper	3083325210 3083323900		
Driver Pad	ø 2-1/2", Small Taper ø 4", Small Taper	3371806012 9245281790		


Note: Length is under collar



Note: Length is under collar












RIVET BUSTER TOOLS								
POWER IN PROGRESS OUALITY WORKING TOOLS	9	80X tandard	0.890"	11X lumbo				
Moil Point		Part no. 3083414011 3083414018 3083414022	9" 12" 18"	Part no. 3083414000 3083414010 3083414020	Length 10" 12" 18"			
Narrow Chisel	Concrete work	3083414111 3083414118 3083414122	9" 12" 18"	3083414100 3083414110 3083414120	10" 12" 18"			
	Metal work			3083414200 3083414210 3083414620	10" 12" 18"			
Side Cut Chisel		3083414515	9"	3083414500 3083414510 3083414520	10" 12" 18"			
Ripper Chisel				3083414400	9-1/2"			
Driftpin Driver				3083414300	7-1/2"			
Back Out Punch 1/2"		3083414822	9"	3083414700	9-1/2"			
	5/8"	3083414823	9"	3083414710	9-1/2"			
	3/4"	3083414851	9"	3083414720 3083414730	9-1/2" 12"			
	7/8"	3083414871	9"	3083414740 3083414750	9-1/2" 12"			
	1"	3083414881	9"	3083414760 3083414770	9-1/2" 12"			
4" Long Clearance Back Out Punch 5/8"				3083414810	10"			
	3/4"			3083414840	10"			
	7/8"			3083414870	10"			
6" Long Clearance Back Out Punch			3083414820	12"				
	3/4"			3083414850	12"			
	7/8"			3083414880	12"			









Note: Length is overall length, Flat to Flat


CARBIDE TIPPED INTEGRAL DRILL STEEL







	Length Under		Hexagon Shank 7/8 x 3-1/4"	Hexagon Shank 7/8 x 4-1/4"
Orill Size - In.	Drill Depth	Collar	Part No.	Part No.
5/8"	6"	9"	3083420000	3083421000
5/8"	9"	12"	3083420010	3083421010
5/8"	14"	18"	3083420020	3083421020
3/4"	6"	9"	3083420100	3083421100
3/4"	9"	12"	3083420110	3083421110
3/4"	14"	18"	3083420120	3083421120
3/4"	20"	24"	3083420130	3083421130
3/4"	26"	30"	3083420140	3083421140
7/8"	6"	9"	3083420200	3083421200
7/8"	9"	12"	3083420210	3083421210
7/8"	14"	18"	3083420220	3083421220
7/8"	20"	24"	3083420230	3083421230
7/8"	26"	30"	3083420240	3083421240
1"	6"	9"	3083420300	3083421300
1"	9"	12"	3083420310	3083421310
1"	14"	18"	3083420320	3083421320
1"	20"	24"	3083420330	3083421330
1"	26"	30"	3083420340	3083421340
1-1/8"	9"	12"	3083420400	3083421400
1-1/8"	14"	18"	3083420410	3083421410
1-1/8"	20"	24"	3083420420	3083421420
1-1/8"	26"	30"	3083420430	3083421430
1-1/4"	9"	12"	3083420500	3083421500
1-1/4"	14"	18"	3083420510	3083421510
1-1/4"	20"	24"	3083420520	3083421520
1-1/4"	26"	30"	3083420530	3083421530
1-3/8"	9"	12"	3083420600	3083421600
1-3/8"	14"	18"	3083420610	3083421610
1-3/8"	20"	24"	3083420620	3083421620
1-3/8"	26"	30"	3083420630	3083421630
1-1/2"	9"	12"	3083420700	3083421700
1-1/2"	14"	18"	3083420710	3083421710
1-1/2"	20"	24"	3083420720	3083421720
1-1/2"	26"	30"	3083420730	3083421730









APT steel shanks are produced to ISO 1180 dimensional tolerances ensuring the correct fit for the tool bushing and correct piston striking position. Some machines are very sensitive to incorrect shank dimensions. Using the wrong or substandard working tool steel may cause irreversible damage to your machine.



Freight Policy

American Pneumatic Tools is pleased to announce our new freight policy relating to small packages. Small package shipments are defined as those weighing 150 pounds or less. If a shipment is over 150 pounds and needs to ship by LTL carrier, actual freight charges will apply. Policy details, rates per zone and map (illustrating the zones by region) follow below.

Benefits:

- Distributors will know their expected freight charges quicker, same day in most cases.
- Consistency of division policies for multi-line dealers

We are available at 800-532-7402 or info@apt-tools.com to answer any questions regarding this policy.

This policy applies to Working Tool Steel:

- 1. Freight for all Fed Ex and UPS small package shipments will be automatically charged up front on all sales orders.
- 2. Freight will be based on item weight and level of service combination.
- 3. Requirements for free freight: Order type must be Stock Order (SR), SR order value has to be a minimum of \$1,000, and the SR order must be delivered to a Distributor ship to address.
- 4. Freight for the entire order will be charged on the first invoice/shipment of a sales order.



Built to Last Since 1938

APT

American Pneumatic Tools Products

Power

Compressors

Generators

Handheld Pneumatic

Paving Breakers

Rock Drills

Clay/Trench Diggers

Backfill Tampers

Demolition Tools

Chipping Hammers

Needle Scalers

Light Compaction

Walk-behind Roller

Reversible Plate Compactors

Forward Plate Compactors

Rammer Tampers

Concrete Finishing

Pneumatic Vibrators

Power Trowels

Screeds

Rig Tools

Hydraulic Breakers

AMERICAN PNEUMATIC TOOLS